## NSN 5365-01-056-6895



Externally Threaded Ring - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5365-01-056-6895 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: 0.050 inches **Overall Length:** 0.190 inches **Thread Size:** 0.3125-24 **Bore Diameter:** Between 0.110 inches and 0.130 inches Depth: 0.050 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unf **Drive Type:** Slotted face **Thread Location:** Both ends **Accommodation Type And Quantity:** 4 slots Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Any acceptable **Special Features:** Four 0.030 in. Diameter holes in face of ring

Material:
Steel, astm a582, type 303 or steel, astm a582, type 303se
Material:
Steel comp 303 or steel, astm a582, type 303se

## NSN 5365-01-056-6895

Externally Threaded Ring - Page 2 of 2



Material Specification	n:	
------------------------	----	--

Astm a582, type 303 assn standard 1st material response

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d