

View Online at <https://aerobasegroup.com/nsn/5365-01-059-6674>

Thread Class:

3a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Chamfer Angle In Deg:

45.0

Chamfer Length:

0.020 mils and 0.040 centimeters

Width:

Between 0.312 inches and 0.322 inches

Overall Length:

0.750 inches

End Radius:

Between 1.500 inches and 1.501 inches

Thread Size:

3.375-12

Bore Diameter:

Between 2.812 inches and 2.817 inches

Depth:

0.180 inches

Bore Shape:

Straight

Screw Thread Series Designator:

Unj

Drive Type:

Slotted face

Accommodation Type And Quantity:

8 slots

Angle Between Accommodations In Deg:

45.0

Beveled Thread:

Not included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Bore Edge Process:

Chamfered

Process End Location:

End opposite drive end

Criticality Code Justification:

Feat

Special Features:

This item is critical to application (f-16 landing gear component) and is essential to weapon system performance and operation

Material:

Aluminum alloy, qq-a-225/9, alloy 7075, t73

Material:

Aluminum alloy 7075

Surface Treatment:

Anodize

Surface Treatment:

Anodized, mil-a-8625, type 2, class 1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d