

View Online at <https://aerobasegroup.com/nsn/5365-01-071-8457>

**Thread Pitch Diameters:**

+0.6357/+0.6390 inches

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

57.0

**Chamfer Length:**

0.116 inches

**Overall Length:**

Between 0.175 inches and 0.185 inches

**Diameter:**

Between 0.051 inches and 0.055 inches

**End Radius:**

0.272 inches

**Thread Size:**

0.6562-40

**Bore Diameter:**

0.312 inches

**Depth:**

0.070 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Uns

**Drive Type:**

Drilled face

**Thread Location:**

Both ends

**Accommodation Type And Quantity:**

4 holes

**Angle Between Accommodations In Deg:**

90.0

**Radius From Geometric Axis To Accommodation:**

0.275 inches

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

End opposite drive end

**Material:**

Cres ams 5738

**Material:**

Cres ams 5738

**Surface Treatment:**

Passivated hp4-169 82577

**Surface Treatment:**

Passivated hp4-169 82577

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d