

View Online at <https://aerobasegroup.com/nsn/5365-01-073-7593>

Thread Class:

2a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Chamfer Angle In Deg:

20.5

Chamfer Length:

0.040 inches

Width:

Between 0.030 inches and 0.050 inches

Overall Length:

Between 0.140 inches and 0.160 inches

End Radius:

Between 0.820 inches and 0.840 inches

Thread Size:

1.750-32

Bore Diameter:

Between 1.570 inches and 1.590 inches

Depth:

Between 0.030 inches and 0.050 inches

End Application:

Infrared detecting set, an/aaq-9

Bore Shape:

Straight

Screw Thread Series Designator:

Uns

Drive Type:

Slotted face

Accommodation Type And Quantity:

2 slots

Angle Between Accommodations In Deg:

180.0

Beveled Thread:

Not included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Bore Edge Process:

Chamfered

Process End Location:

End opposite drive end

Special Features:

Outside corners chamfered, 45.0 deg. For 0.020 in.

Material:

Aluminum alloy, qq-a-200/8, 6061, t6

Material:

Aluminum alloy 6061

Surface Treatment:

Anodize

Surface Treatment:

Anodized, mil-a-8625, type 2, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T252-d