

View Online at <https://aerobasegroup.com/nsn/5365-01-094-7060>

Thread Class:

3a

Thread Pitch Diameters:

+2.1880/+2.1941 inches

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Overall Length:

Between 0.420 inches and 0.430 inches

Diameter:

2.2500 inches

Thread Size:

2.250-12

Bore Diameter:

Between 1.250 inches and 1.251 inches

Depth:

Between 0.180 inches and 0.200 inches

Bore Shape:

Straight

Screw Thread Series Designator:

Un

Drive Type:

Drilled face

Accommodation Type And Quantity:

4 holes

Angle Between Accommodations In Deg:

90.0

Radius From Geometric Axis To Accommodation:

Between 0.850 inches and 0.880 inches

Beveled Thread:

Not included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Material:

Bronze or copper alloy, qq-c-390

Material:

Copper alloy 820 or copper alloy 824 or copper alloy 825 or copper alloy 826 or copper alloy 827 or copper alloy 828 or copper alloy 836 or copper alloy 838 or copper alloy 842 or copper alloy 844 or copper alloy 848 or copper alloy 852 or copper alloy 854 or copper alloy 855 or copper alloy 857 or copper alloy 861 or copper alloy 862 or copper alloy 863 or copper alloy 864 or copper alloy 865 or copper alloy 868 or copper alloy 872 or copper alloy 874 or copper alloy 903 or copper alloy 905 or copper alloy 907 or copper alloy 910 or copper alloy 913 or copper alloy 915-canceled or copper alloy 916 or copper alloy 922 or copper alloy 923 or copper alloy 925 or copper alloy 927 or copper alloy 932 or copper alloy 934 or copper alloy 935 or copper alloy 937 or copper alloy 938 or copper alloy 939 or copper alloy 940 or copper

Unit Of Measure:

--

Demilitarization:

No

Fig:

T252-d