NSN 5365-01-105-1512

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-105-1512 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.040 inches Width: Between 0.090 inches and 0.100 inches **Overall Length:** 0.375 inches **Thread Size:** 0.562-18 **Bore Diameter:** Between 0.2375 inches and 0.2395 inches Depth: 0.120 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unjf **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Included **Setscrew Locking Notch:** Not included **Process End Location:**

Bore Edge Process: Chamfered Both ends Material: Steel, ams 5643, 17-4ph

NSN 5365-01-105-1512

Externally Threaded Ring - Page 2 of 2



Material:

Steel comp 630

Surface Treatment:

Passivate ep3204 fscm 28652

Surface Treatment:

Passivate ep3204 fscm 28652

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d