NSN 5365-01-112-3985

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-112-3985 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.040 inches **Overall Length:** 0.180 inches Diameter: 0.069 inches **End Radius:** 0.040 inches **Thread Size:** 2.5625-32 **Bore Diameter:** 2.187 inches Depth: 0.080 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Uns **Drive Type:** Drilled face **Accommodation Type And Quantity:**

Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 1.156 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered

NSN 5365-01-112-3985

Externally Threaded Ring - Page 2 of 2



Process End Location: Both ends Material: Steel, mil-t-8606, type 1, comp 321 Material: Steel comp 321 Surface Treatment: Passivate Surface Treatment: Passivated, qq-p-35 Shelf Life: N/a Unit Of Measure: --Demilitarization:

No **Fiig:** T252-d