## NSN 5365-01-123-0973

Machine Thread Plug - Page 1 of 2



| view Online at https://aerobasegroup.com/nsn/5365-01-123-0973   |
|---|
| Thread Pitch Diameters:   |
| +0.8489/+0.8518 inches external   |
| Thread Direction:   |
| Right-hand external   |
| Thread Length:  |
| 0.377 inches external   |
| Head Height:  |
| 0.150 inches  |
| Overall Length:   |
| Between 0.907 inches and 0.917 inches   |
| Connection Style:   |
| Plain   |
| Body Core Diameter:   |
| 0.500 inches  |
| Core Depth:   |
| Between 0.600 inches and 0.650 inches   |
| Head Type:  |
| Solid   |
| Body Type:  |
| Cored   |
| Thready Qty Per Inch (tpi):   |
| 28 external   |
| Thread Size:  |
| 0.875 inches external   |
| Special Features:   |
| Gbody outside diameter has 63.0 microinch groove; 0.149 in. Min. 0.159 in. Max. Width, and 0.686 in. Min. 0.688 in. Max. Diameter. Body |
| stepped to 0.810 in. Dia. And 0.156 in. Min. 0.166 in. Max. Width   |
| Material:   |
| Aluminum alloy 6061   |
| Material Specification:   |
| Qq-a-225/8 federal specification single material response or qq-a-200/8 federal specification single material response                  |
| Surface Treatment:  |
| Anodize   |
| Surface Treatment Specification:  |
| Mil-a-8625 type 2 cl 1 military specification single treatment response   |
| Style Designator:   |
| Plug, machine   |
| Thread Series Designator:   |
| Unjs external   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

## NSN 5365-01-123-0973

Machine Thread Plug - Page 2 of 2



Demilitarization:

No

Fiig:

A208a0

Mil-std (military Standard):

Mil-a-8625 spec.