NSN 5365-01-136-6221

Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-136-6221

| Thread Direction: |
|--|
| Right-hand |
| Slot Depth: |
| 0.906 inches |
| Slot Width: |
| 0.262 inches |
| Overall Length: |
| 1.184 inches |
| Thickness: |
| 0.278 inches |
| Wrenching Facility Shape: |
| Hexagon and slotted |
| Screw Thread Length: |
| 0.806 inches |
| Width Across Flats: |
| 1.500 inches |
| Hole Inside Diameter: |
| Between 1.009 inches and 1.012 inches |
| Thready Qty Per Inch (tpi): |
| 14 |
| Thread Size: |
| 1.250 inches |
| Special Features: |
| 6 equally spaced slots; coat id only 0.0010 to 0.0015 |
| Material: |
| Titanium |
| Material Specification: |
| Ams 4967 assn standard single material response |
| Surface Treatment: |
| Plastic |
| Surface Treatment Specification: |
| E.I. Dupont de nemours and co inc, 954-103 mfr ref single treatment response |
| Thread Series Designator: |
| Unjs |
| Specification Data: |
| 76301-st4-153 manufacturers standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 5365-01-136-6221

Machine Thread Bushing - Page 2 of 2



Fiig:

A540s0