Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-138-6639

Thread Class:
2a
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
60.0
Width:
0.250 inches
Overall Length:
Between 0.975 inches and 0.985 inches
Thread Size:
1.500-12
Bore Diameter:
0.562 inches
Depth:
0.375 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Un
Drive Type:
Slotted face
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered
Process End Location:
Drive end
Material:
Copper alloy, qq-c-465, comp 630 and copper alloy, qq-c-450, comp 630
Material:
Copper alloy 630 and copper alloy, qq-c-450, comp 630

## NSN 5365-01-138-6639

Externally Threaded Ring - Page 2 of 2



## Material Specification:

Qq-c-465, comp 630 federal specification 1st material response

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T252-d