NSN 5365-01-170-5662

Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-170-5662

Throad Direction.
Thread Direction:
Right-hand
Counterbore Diameter:
Between 0.370 inches and 0.375 inches
Counterbore Depth:
Between 0.220 inches and 0.240 inches
Overall Length:
Between 0.840 inches and 0.860 inches
Diameter:
Between 0.618 inches and 0.619 inches
Thickness:
Between 0.450 inches and 0.453 inches
Wrenching Facility Shape:
Round
Screw Thread Length:
0.320 inches
Counterbore Location:
Threaded end and wrenching end
Hole Inside Diameter:
Between 0.3125 inches and 0.3175 inches
Features Provided:
Counterbore
Thready Qty Per Inch (tpi):
20
Thread Size:
0.500 inches
Special Features:
2nd cbore 0.290-0.310 in. Deep
Material:
Stainless steel
Material Specification:
Cage 30221, b7a13a2 mfr ref single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Cage 30221, +4d-cd3-1 mfr ref single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
The standards

--

NSN 5365-01-170-5662

Machine Thread Bushing - Page 2 of 2



Demilitarization:

No

Fiig:

A540s0