## NSN 5365-01-173-3893

Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-173-3893 **Thread Direction:** Right-hand **Countersink Angle In Deg:** 6.0 **Overall Length:** Between 2.562 inches and 2.624 inches Thickness: Between 0.407 inches and 0.469 inches **Wrenching Facility Shape:** Hexagon **Countersink Depth:** Between 2.562 inches and 2.624 inches **Screw Thread Length:** Between 1.469 inches and 1.531 inches Width Across Flats: Between 0.984 inches and 1.016 inches **Countersink Location:** Threaded end **Hole Inside Diameter:** Between 0.536 inches and 0.556 inches **Features Provided:** Countersunk Thready Qty Per Inch (tpi): **Thread Size:** 1.000 inches Material: Steel **Material Specification:** Mil-s-46172, comp 1040, 1041, 1045 or 1050 military specification single material response **Surface Treatment:** Enamel **Surface Treatment Specification:** Tt-e-529 federal specification single treatment response **Thread Series Designator:** Uns Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5365-01-173-3893

Machine Thread Bushing - Page 2 of 2



Fiig:

A540s0

Mil-std (military Standard):

Mil-s-46172 spec.