NSN 5365-01-200-9851

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-200-9851 **Thread Class:** 2a **Thread Pitch Diameters:** +2.335/+2.341 inches **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.030 inches Width: 0.060 inches **Overall Length:** 0.160 inches **Thread Size:** 2.375-20 **Bore Diameter:** 2.031 inches Depth: 0.040 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0

Beveled Thread: Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered

NSN 5365-01-200-9851

Externally Threaded Ring - Page 2 of 2



Process End Location:
Drive end
Material:
Aluminum alloy, qq-a-225/8, alloy 6061, t6
Material:
Aluminum alloy 6061
Surface Treatment:
Anodize
Surface Treatment:
Anodized, mil-a-8625, type 2, class 2
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T252-d