

View Online at <https://aerobasegroup.com/nsn/5365-01-205-3882>

Thread Direction:

Right-hand

Countersink Angle In Deg:

60.0 and 60.0

Slot Depth:

Between 0.142 inches and 0.165 inches

Slot Width:

Between 0.170 inches and 0.190 inches

Overall Length:

Between 0.667 inches and 0.676 inches

Wrenching Facility Shape:

Slotted

Screw Thread Length:

Between 0.419 inches and 0.444 inches

Countersink Location:

Threaded end and wrenching end

Hole Inside Diameter:

Between 1.400 inches and 1.420 inches

Features Provided:

Countersunk

Thready Qty Per Inch (tpi):

20

Thread Size:

1.875 inches

Special Features:

Four bolt holes 0.153 in. Min and 0.162 in. Maximum diameter equally spaced on a 2.000 in. Diameter bolt circle; four slots 0.110 in. Min and 0.130 in. Maximum wide and 0.045 in. Min and 0.065 in. Maximum deep equally spaced on threaded end

Material:

Steel comp e4340 or steel comp 4340

Material Specification:

Mil-s-5000 military specification 1st material response or ams 6415 assn standard 2nd material response

Thread Series Designator:

Un

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A540s0

Mil-std (military Standard):

Mil-s-5000 spec.