# NSN 5365-01-212-0598

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-212-0598 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Overall Length:** 1.000 inches Diameter: 0.281 inches **End Radius:** 0.938 inches **Thread Size:** 3.000-12 **Bore Diameter:** 1.438 inches Depth: 0.250 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Drilled face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 1.188 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included

Setscrew Locking Notch: Included Bore Edge Process: Chamfered and rounded

# NSN 5365-01-212-0598

Externally Threaded Ring - Page 2 of 2



#### **Process End Location:**

Drive end and end opposite drive end

## **Special Features:**

Bore edge radius inverted

## Material:

Steel, qq-s-763, class 316l

Material:

Steel, qq-s-763, class 316l

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d