Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-212-0598

Th	read Class:
2a	
Th	read Direction:
Rig	ht-hand
Ca	sehardening Indicator:
No	t casehardened
Ch	amfer Angle In Deg:
45.	0
Ov	erall Length:
1.0	00 inches
Dia	imeter:
0.2	81 inches
En	d Radius:
0.9	38 inches
Th	read Size:
3.0	00-12
Во	re Diameter:
1.4	38 inches
De	pth:
0.2	50 inches
Во	re Shape:
Str	aight
Sc	rew Thread Series Designator:
Un	
Dri	ve Туре:
Dri	led face
Th	read Location:
Bot	h ends
Ac	commodation Type And Quantity:
2 h	oles
An	gle Between Accommodations In Deg:
180	0.0
Ra	dius From Geometric Axis To Accommodation:
1.1	88 inches
Be	veled Thread:
Inc	luded
Во	re Annular Internal Serration:
No	tincluded
Set	screw Locking Notch:
Inc	luded
	re Edge Process:

Chamfered and rounded

NSN 5365-01-212-0598

Externally Threaded Ring - Page 2 of 2



Process End Location:

Drive end and end opposite drive end

Special Features:

Bore edge radius inverted

Material:

Steel, qq-s-763, class 316l

Material:

Steel, qq-s-763, class 316l

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d