## NSN 5365-01-217-3071

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-217-3071 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.062 inches Width: 0.062 inches **Overall Length:** 0.500 inches **Thread Size:** 1-12 **Bore Diameter:** Between 0.500 inches and 0.502 inches Depth: 0.062 inches Bore Shape: Straight **Screw Thread Series Designator:** Unf **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end

Material: Steel, astm a582, type 303

## NSN 5365-01-217-3071

Externally Threaded Ring - Page 2 of 2



Material:

Steel comp 303

**Surface Treatment:** 

Passivate

**Surface Treatment:** 

Passivated, qq-p-35

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

T252-d