

View Online at <https://aerobasegroup.com/nsn/5365-01-221-1981>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Width:**

0.125 inches

**Overall Length:**

0.640 inches

**Thread Size:**

1.000-16

**Bore Diameter:**

0.740 inches

**Depth:**

0.120 inches

**End Application:**

Augmentor, fuel control

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Unj

**Drive Type:**

Slotted face

**Thread Location:**

Both ends

**Accommodation Type And Quantity:**

4 slots

**Angle Between Accommodations In Deg:**

90.0

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Any acceptable

**Special Features:**

Drive end cbored; 0.790 in. Dia, 0.200 in. Dp; has 8 eql spaced holes through wall, placed between slots 0.0465 in. Dia

**Material:**

Steel, corrosion resisting

**Material:**

Stainless steel

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d