NSN 5365-01-236-2081

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-236-2081 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 30.0 Width: 0.250 inches **Overall Length:** Between 1.257 inches and 1.267 inches **Thread Size:** 3.000-12 **Bore Diameter:** 1.250 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted bore **Accommodation Type And Quantity:** 2 slots Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Drive end Material: Copper alloy, qq-c-465, alloy 606 or copper alloy, qq-c-465, alloy 614 or copper alloy, qq-c-465, alloy 642 or copper alloy, qq-c-465, comp 630 Material: Copper alloy 606 or copper alloy 614 or copper alloy 642 or copper alloy 630

N/a

Shelf Life:

NSN 5365-01-236-2081

Externally Threaded Ring - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

T252-d