Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-236-2081

Thread Class:
2a
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
30.0
Width:
0.250 inches
Overall Length:
Between 1.257 inches and 1.267 inches
Thread Size:
3.000-12
Bore Diameter:
1.250 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Un
Drive Type:
Slotted bore
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered
Process End Location:
Drive end
Material:
Copper alloy, qq-c-465, alloy 606 or copper alloy, qq-c-465, alloy 614 or copper alloy, qq-c-465, alloy 642 or copper alloy, qq-c-465,
comp 630
Material:
Copper alloy 606 or copper alloy 614 or copper alloy 642 or copper alloy 630
Shelf Life:
N/a

N/a

NSN 5365-01-236-2081

Externally Threaded Ring - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d