

View Online at <https://aerobasegroup.com/nsn/5365-01-236-2114>

Thread Direction:

Right-hand

Countersink Angle In Deg:

45.0

Overall Length:

1.790 inches

Thickness:

0.440 inches

Wrenching Facility Shape:

Hexagon

Countersink Depth:

0.077 inches

Screw Thread Length:

1.000 inches

Width Across Flats:

Between 1.859 inches and 1.906 inches

Countersink Location:

Wrenching end

Hole Inside Diameter:

Between 0.718 inches and 0.875 inches

Features Provided:

Countersunk

Thready Qty Per Inch (tpi):

7

Thread Size:

1.250 inches

Material:

Steel comp 1010 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025 or steel comp 1117 or steel comp 1118

Material Specification:

Astm a576, grade 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023 or 1025 assn standard single material response or astm a108, grade 1117 or 1118 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification single treatment response

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A540s0