Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-246-4093

Thread Class:
2a
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Width:
0.081 inches
Overall Length:
0.215 inches
End Radius:
Between 0.010 inches and 0.030 inches
Taper Minor Diameter:
Between 2.972 inches and 2.982 inches
Taper Major Diameter:
3.054 inches
Thread Size:
3.750-32
Depth:
0.060 inches
Bore Shape:
Tapered
Screw Thread Series Designator:
Uns
Drive Type:
Slotted face
Accommodation Type And Quantity:
12 slots
Angle Between Accommodations In Deg:
30.0
Beveled Thread:
Not included
Taper Major Diameter Location:
Drive end
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Rounded
Process End Location:
End opposite drive end

# NSN 5365-01-246-4093

Externally Threaded Ring - Page 2 of 2



### **Special Features:**

Color black

## Material:

Aluminum alloy, qq-a-250/12, t651 or qq-a-250/13, t651 or qq-a-250/18, t651 or qq-a-250/26, t651

## Material:

Aluminum alloy, qq-a-250/12, t651 or qq-a-250/13, t651 or qq-a-250/18, t651 or qq-a-250/26, t651

## Surface Treatment:

Anodize

## Surface Treatment:

Anodized, mil-a-8625

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

### Fiig:

T252-d