## NSN 5365-01-274-0165

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-274-0165 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.120 inches Width: Between 0.064 inches and 0.075 inches **Overall Length:** 0.180 inches **Thread Size:** 0.750-16 **Bore Diameter:** 0.380 inches Depth: Between 0.046 inches and 0.070 inches Bore Shape: Straight **Screw Thread Series Designator:** Unf **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** 

Chamfered

Process End Location:

Drive end

Material:

Steel, qq-s-763, class 304, cond a

## NSN 5365-01-274-0165

Externally Threaded Ring - Page 2 of 2



Material:

Steel comp 304

**Surface Treatment:** 

Passivate

**Surface Treatment:** 

Passivated, qq-p-35

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

T252-d