

View Online at <https://aerobasegroup.com/nsn/5365-01-281-6704>

**Thread Direction:**

Right-hand

**Countersink Angle In Deg:**

45.0

**Slot Depth:**

Between 0.097 inches and 0.125 inches

**Slot Width:**

0.062 inches

**Overall Length:**

0.250 inches

**Wrenching Facility Shape:**

Slotted

**Countersink Depth:**

Between 0.005 inches and 0.035 inches

**Screw Thread Length:**

0.160 inches

**Countersink Location:**

Wrenching end

**Hole Inside Diameter:**

Between 0.188 inches and 0.190 inches

**Features Provided:**

Countersunk

**Thready Qty Per Inch (tpi):**

28

**Thread Size:**

0.250 inches

**Material:**

Steel or steel comp 303 or steel comp 303se

**Material Specification:**

Ams 5640 assn standard single material response or astm a581, type 303 or 303se assn standard single material response or astm a582, type 303 or 303se assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response or mil-f-14072, finish e300 military specification single treatment response

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A540s0

**Mil-std (military Standard):**

Mil-f-14072 spec.