NSN 5365-01-317-2671

Shim - Page 1 of 1



| Outside Diameter: Between 0.730 inches and 0.770 inches Aperture Diameter: Between 0.530 inches and 0.540 inches End Application: 2520-01-089-5011 Construction: One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 1084 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: N/a | |
|---|---|
| Aperture Diameter: Between 0.530 inches and 0.540 inches End Application: 2520-01-089-5011 Construction: One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Between 0.530 inches and 0.540 inches End Application: 2520-01-089-5011 Construction: One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| End Application: 2520-01-089-5011 Construction: One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| 2520-01-089-5011 Construction: One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Construction: One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| One-piece Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Hardness Rating: Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Between 77.0 rockwell superficial 15-n and 86.0 rockwell superficial 15-n Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Material: Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Steel comp 1070 or steel comp 1074 or steel comp 1080 or steel comp 1085 or steel comp 108 Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Material Specification: Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | |
| Astm a682 assn standard single material response Style Designator: Circular Shelf Life: | 6 |
| Style Designator: Circular Shelf Life: | |
| Circular Shelf Life: | |
| Shelf Life: | |
| | |
| N/a | |
| . 40 | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| Fiig: | |
| A07000 | |