## NSN 5365-01-341-9712

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-341-9712 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 Width: 0.085 inches **Overall Length:** 0.120 inches **Thread Size:** 1.0625-64 **Bore Diameter:** 0.687 inches Depth: 0.061 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Thread Location:** Drive end **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end

Special Features:
32.0 microin opposite drive end and on thds

## NSN 5365-01-341-9712

Externally Threaded Ring - Page 2 of 2



Material:

Steel, astm a582, type 303

Material:

Steel comp 303

**Surface Treatment:** 

Passivate

**Surface Treatment:** 

Passivated, qq-p-35

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d