NSN 5365-01-348-2966

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-348-2966 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: Between 0.378 inches and 0.383 inches **Overall Length:** 1.000 inches **Thread Size:** 3.750-16 **Bore Diameter:** 3.000 inches Depth: 0.248 inches Bore Shape: Straight **Screw Thread Series Designator:** Unj **Drive Type:** Slotted face **Material Hardness Rating:** Between 40.0 rockwell c and 43.0 rockwell c **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Special Features:** 4 holes 0.055 in. Dia, equally spaced between slots and perpendicular to axis Material: Steel, mil-s-8844, class 1

Material: Steel comp 4340

NSN 5365-01-348-2966

Externally Threaded Ring - Page 2 of 2



	tment:

Cadmium-titanium plating, mil-std-1500, type 2

Surface Treatment:

Cadmium-titanium plating, mil-std-1500, type 2

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

T252-d