Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-348-2967

Thread Class:
3a Thread Direction
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Between 0.375 inches and 0.380 inches
Overall Length:
Between 1.126 inches and 1.136 inches
Thread Size:
2.750-12
Bore Diameter:
Between 2.245 inches and 2.255 inches
Depth:
0.175 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Unj
Drive Type:
Slotted face
Material Hardness Rating:
Between 35.0 rockwell c and 42.0 rockwell c
Thread Location:
End opposite drive end
Accommodation Type And Quantity:
4 slots
Angle Between Accommodations In Deg:
90.0
Beveled Thread:
Included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Special Features:
4 holes 0.055 in. Dia, equally spaced between slots and perpendicular to axis
Material:
Steel, ams 5659
Material:
Steel comp xm-12

## NSN 5365-01-348-2967

Externally Threaded Ring - Page 2 of 2

Surface Treatment:

Cadmium and chromate

Surface Treatment:

Cadmium, qq-p-416, type 2, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d

