NSN 5365-01-354-5923

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-354-5923 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 30.0 **Chamfer Length:** 0.102 inches Width: Between 0.089 inches and 0.099 inches **Overall Length:** Between 0.724 inches and 0.734 inches **End Radius:** Between 0.529 inches and 0.539 inches **Thread Size:** 0.375-40 **Bore Diameter:** 1.000 inches Depth: 0.010 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted inner face **Thread Location:** Drive end **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 120.0 **Radius From Geometric Axis To Accommodation:** Between 0.529 inches and 0.539 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:**

Not included

NSN 5365-01-354-5923

Externally Threaded Ring - Page 2 of 2



Process End Location:
Drive end
Special Features:
Item is to be dyed black i/a/w 7.1.2 of mil-std 171
Height:
0.010 inches
Material:
Aluminum alloy, qq-a-225/6, alloy 2024
Material:
Aluminum alloy 2024
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d