NSN 5365-01-371-1068

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-371-1068 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.060 inches Width: Between 0.240 inches and 0.260 inches **Overall Length:** Between 0.690 inches and 0.700 inches **Thread Size:** 1.875-16 **Bore Diameter:** Between 1.1600 inches and 1.1800 inches Depth: 0.250 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Un **Drive Type:** Externally slotted **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Both ends

Material:

Phosphor bronze, qq-b-750

NSN 5365-01-371-1068

Externally Threaded Ring - Page 2 of 2



M	lat	Or	וכו	

Copper alloy 510 or copper alloy 524 or copper alloy 544

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d