

View Online at <https://aerobasegroup.com/nsn/5365-01-436-3599>

**Hole Diameter:**

Between 0.115 inches and 0.120 inches

**Overall Length:**

Between 1.510 inches and 1.570 inches

**Overall Width:**

Between 0.340 inches and 0.360 inches

**Inside Corner Radius:**

0.015 inches

**Aperture Width:**

Between 0.198 inches and 0.202 inches

**Aperture Length:**

Between 0.898 inches and 0.902 inches

**Overall Thickness:**

0.005 inches

**Center To Center Distance Between Bolt Holes Along Width:**

Between 0.240 inches and 0.260 inches

**Center To Center Distance Between Bolt Holes Along Length:**

Between 1.215 inches and 1.235 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.125 inches and 0.145 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.148 inches and 0.168 inches

**Bolt Hole Quantity:**

4

**End Application:**

F-15i

**Construction:**

One-piece

**Outside Edge To Inside Edge Smallest Distance Along Width:**

Between 0.159 inches and 0.161 inches

**Outside Edge To Inside Edge Smallest Distance Along Length:**

Between 0.319 inches and 0.321 inches

**Special Features:**

Outside corners are chamfered 0.100 in. X 45.0 deg; original name-spacer, plate

**Material:**

Aluminum alloy 1100

**Material Specification:**

Qq-a-250/1, temp h14 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, class 1a military specification single treatment response

**Style Designator:**

Non-circular w/bolt holes

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07000

**Mil-std (military Standard):**

Mil-c-5541 spec.