## NSN 5365-01-456-5403

Plate Spacer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5365-01-456-5403

Overall Length: Between 1.970 inches and 2.030 inches  Overall Width: Between 0.876 inches and 0.936 inches  Overall Thickness: 0.032 inches  Material: Aluminum alloy 7075  Material Specification: Qq-a-250/13, t6 federal specification single material response  Surface Treatment: Anodize  Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response  Style Designator:
Overall Width:  Between 0.876 inches and 0.936 inches  Overall Thickness: 0.032 inches  Material:  Aluminum alloy 7075  Material Specification:  Qq-a-250/13, t6 federal specification single material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Between 0.876 inches and 0.936 inches  Overall Thickness:  0.032 inches  Material:  Aluminum alloy 7075  Material Specification:  Qq-a-250/13, t6 federal specification single material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Overall Thickness:  0.032 inches  Material: Aluminum alloy 7075  Material Specification: Qq-a-250/13, t6 federal specification single material response  Surface Treatment: Anodize  Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
0.032 inches  Material: Aluminum alloy 7075  Material Specification: Qq-a-250/13, t6 federal specification single material response  Surface Treatment: Anodize  Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Material: Aluminum alloy 7075  Material Specification: Qq-a-250/13, t6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Aluminum alloy 7075  Material Specification: Qq-a-250/13, t6 federal specification single material response  Surface Treatment: Anodize  Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Material Specification: Qq-a-250/13, t6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Qq-a-250/13, t6 federal specification single material response  Surface Treatment:  Anodize  Surface Treatment Specification:  Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Anodize  Surface Treatment Specification:  Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Surface Treatment Specification:  Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Mil-a-8625, type 1 or type 2, cl 1 military specification single treatment response
Style Designator:
•
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07000
Mil-std (military Standard):
Mil-a-8625 spec.