

View Online at <https://aerobasegroup.com/nsn/5510-00-132-7108>

Species-grade And Grading Association:

Cedar, western red no. 2 unrecognized or cedar, western red standard west coast lumber inspection bureau or douglas fir no. 2 unrecognized or douglas fir standard west coast lumber inspection bureau or fir no. 2 unrecognized or fir standard west coast lumber inspection bureau or hemlock, eastern no. 2 unrecognized or hemlock, eastern no. 2 northeastern lumber manufacturers association or hemlock, western no. 2 unrecognized or hemlock, western standard west coast lumber inspection bureau or larch no. 2 unrecognized or larch standard west coast lumber inspection bureau or pine no. 2 unrecognized or pine no. 2 northeastern lumber manufacturers association or pine, idaho white sterling unrecognized or pine, lodgepole no. 2 unrecognized or pine, ponderosa no. 2 unrecognized or pine, southern no. 2 southern pine inspection bureau or pine, sugar no. 2 unrecognized or redwood tank stock under 4 in. Redwood inspection service or spruce, eastern no. 2 unrecognized or spruce, eastern no. 2 northeastern lumber manufacturers association or spruce, engelmann no. 2 unrecognized or spruce, sitka standard west coast lumber inspection bureau

Moisture Content Retention Percentage:

19.0

Random Length:

6 feet and longer, permitting 5 pct 6-9 feet and requiring 40 pct 14 feet or longer

Width-location And Measuring Method:

6.000 inches specified

Measuring Method And Length:

6.000 feet random

Surface Condition Degree:

Surfaced two sides and standard matched

Thickness-location And Measuring Method:

2.000 inches specified

Typical Wood Products Use:

Subflooring, decking and heavy sheathing

Supplementary Features:

Typical use--for sub-flooring, decking and heavy sheathing, unit of issue--board foot

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A173a0