

View Online at <https://aerobasegroup.com/nsn/5510-00-167-6857>

**Maximum Grain Slope:**

Any acceptable

**Species-grade And Grading Association:**

Cedar, northern white no. 3 northeastern lumber manufacturers association or cedar, western no. 3 west coast lumber inspection bureau or cedar, western no. 3 western wood products association or douglas fir no. 3 west coast lumber inspection bureau or douglas fir no. 3 western wood products association or fir, balsam no. 3 northeastern lumber manufacturers association or fir, balsam no. 3 northern hardwood and pine manufacturers association or fir, subalpine no. 3 western wood products association or hem-fir no. 3 west coast lumber inspection bureau or hem-fir no. 3 western wood products association or hemlock, eastern no. 3 northeastern lumber manufacturers association or hemlock, eastern no. 3 northern hardwood and pine manufacturers association or hemlock, mountain no. 3 west coast lumber inspection bureau or hemlock, mountain no. 3 western wood products association or larch no. 3 western wood products association or pine, eastern white no. 3 northeastern lumber manufacturers association or pine, eastern white no. 3 northern hardwood and pine manufacturers association or pine, idaho white no. 3 western wood products association or pine, jack no. 3 northeastern lumber manufacturers association or pine, jack no. 3 northern hardwood and pine manufacturers association or pine, lodgepole no. 3 western wood products association or pine, pitch no. 3 northeastern lumber manufacturers association or pine, ponderosa no. 2 western wood products association or pine, norway no. 3 northeastern lumber manufacturers association or pine, norway no. 3 northern hardwood and pine manufacturers association or pine, southern no. 3 southern pine inspection bureau or pine, sugar no. 3 western wood products association or redwood no. 3 redwood inspection service or spruce, eastern no. 3 northeastern lumber manufacturers association or spruce, eastern no. 3 northern hardwood and pine manufacturers association or spruce, engelmann no. 3 western wood products association or spruce, sitka no. 3 west coast lumber inspection bureau or tamarack no. 3 northeastern lumber manufacturers association or tamarack no. 3 northern hardwood and pine manufacturers association

**Moisture Content Retention Percentage:**

Any acceptable

**Random Length:**

8 ft and longer, permitting 5 pct 8-9 ft and requiring 50 pct 15 ft or longer

**Width-location And Measuring Method:**

6.000 inches specified

**Measuring Method And Length:**

8.000 feet random

**Surface Condition Degree:**

Rough-unsanded full length or surfaced two sides or surfaced four sides

**Thickness-location And Measuring Method:**

4.000 inches specified

**Typical Wood Products Use:**

Low cost construction, blocking, boxes, crates and dunnage

**Supplementary Features:**

Unit of issue-board foot

**Specification Data:**

81348-mm-l-751 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**