

View Online at <https://aerobasegroup.com/nsn/5510-00-220-6118>

**Species-grade And Grading Association:**

Any acceptable 4 common northeastern lumber manufacturers association or any acceptable standard northeastern lumber manufacturers association or any acceptable 4 common northern hardwood and pine manufacturers association or any acceptable utility west coast lumber inspection bureau or any acceptable 4 common western wood products association or pine, jack c and better industrial clears southern pine inspection bureau or cypress merchantable southern pine inspection bureau

**Moisture Content Retention Percentage:**

19.0

**Random Length:**

6 ft and longer with a maximum of 10 pct to be 6-9 ft and min of 30 pct to be 14 ft and longer

**Width-location And Measuring Method:**

12.000 inches specified

**Measuring Method And Length:**

6.000 feet random

**Surface Condition Degree:**

Surfaced four sides

**Thickness-location And Measuring Method:**

1.000 inches specified

**Typical Wood Products Use:**

Temporary sheathing, dunnage, boxing and crating

**Supplementary Features:**

Unit of issue-bf

**Specification Data:**

81348-mm-l-751 government specification

**Specification Or Standard:**

3 table

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A173a0