Dimension Softwood Lumber - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5510-00-220-6166

Species-grade And Grading Association:

Any acceptable no. 1 northeastern lumber manufacturers association or any acceptable no. 1 northern hardwood and pine manufacturers association or any acceptable no. 1 west coast lumber inspection bureau or any acceptable no. 1 western wood products association or any acceptable construction northeastern lumber manufacturers association or any acceptable construction northeastern hardwood and pine manufacturers association or any acceptable construction northeastern west coast lumber inspection bureau or any acceptable construction western wood products association or pine, southern no. 1 southern pine inspection bureau or pine, southern construction southern pine inspection bureau or pine, southern construction southern pine inspection bureau or pine, southern service or redwood construction redwood inspection service

Random Length:

8 ft and longer, w/a maximum of 5 pct to be 8-9 ft and min of 50 pct 14 ft and longer

Width-location And Measuring Method:

4.000 inches specified

Measuring Method And Length:

8.000 feet random

Surface Condition Degree:

Surfaced four sides

Thickness-location And Measuring Method:

3.000 inches specified

Typical Wood Products Use:

High quality construction and industrial uses, heavy framing and decking

Supplementary Features:

Unit of issue--bf

Specification Data:

81348-mm-I-751 government specification

Specification Or Standard:

3 table

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A173a0