

View Online at <https://aerobasegroup.com/nsn/5510-00-220-6226>

Species-grade And Grading Association:

Cedar, western red no. 2 southern pine inspection bureau or cedar, western red standard west coast lumber inspection bureau or douglas fir no. 2 southern pine inspection bureau or douglas fir standard west coast lumber inspection bureau or fir, subalpine no. 2 southern pine inspection bureau or fir, subalpine standard west coast lumber inspection bureau or hemlock, eastern no. 2 northeastern lumber manufacturers association or hemlock, western standard west coast lumber inspection bureau or larch no. 2 southern pine inspection bureau or pine, idaho white no. 2 southern pine inspection bureau or pine, lodgepole no. 2 southern pine inspection bureau or pine, ponderosa no. 2 southern pine inspection bureau or pine, norway no. 2 northeastern lumber manufacturers association or pine, southern no. 2 southern pine inspection bureau or pine, sugar no. 2 southern pine inspection bureau or redwood no. 2 west coast lumber inspection bureau or spruce, eastern no. 2 northeastern lumber manufacturers association or spruce, sitka standard west coast lumber inspection bureau

Moisture Content Retention Percentage:

19.0

Random Length:

8 feet and longer, permitting 5 pct 8-9 feet and requiring 50 pct 14 feet and longer

Width-location And Measuring Method:

4.000 inches specified

Measuring Method And Length:

6.000 feet random

Surface Condition Degree:

Surfaced two sides or surfaced four sides

Thickness-location And Measuring Method:

4.000 inches specified

Typical Wood Products Use:

Low cost construction, blocking, boxes, crates and dunnage

Special Features:

Seasoning process, air or kiln dried, surface condition, dressed

Supplementary Features:

Unit of issue-bf

Specification Data:

81348-mm-l-751 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A173a0