

View Online at <https://aerobasegroup.com/nsn/5510-00-285-6447>

**Treatment Type:**

Preservative, tt-w-571

**Preservative Solution Type:**

Acid copper chromate or ammoniacal copper arsenite or chromated copper arsenate, type i, ii or iii or chromated zinc chloride or pentachlorophenol in light petroleum solvent or pentachlorophenol in volatile solvent

**Species-grade And Grading Association:**

Any acceptable premium northeastern lumber manufacturers association or any acceptable 2 common northeastern lumber manufacturers association or any acceptable 2 common northern hardwood and pine manufacturers association or any acceptable construction west coast lumber inspection bureau or any acceptable 2 common western wood products association or any acceptable construction western wood products association or pine, idaho white sterling western wood products association or pine, southern no. 1 boards southern pine inspection bureau or redwood select redwood inspection service

**Moisture Content Retention Percentage:**

19.0

**Random Length:**

6 ft and longer with a maximum of 10pct to be 6-9 ft long and a min of 30pct to be 14 ft and longer

**Width-location And Measuring Method:**

8.000 inches specified

**Measuring Method And Length:**

6.000 feet random

**Surface Condition Degree:**

Surfaced four sides

**Thickness-location And Measuring Method:**

1.000 inches specified

**Typical Wood Products Use:**

Preservative treated sheathing, concrete forms, subflooring, blocking and crates for cleanliness and paintability

**Service Usage:**

Lumber and for use above ground

**Supplementary Features:**

See tt-w-571, table i for acceptable species; unit of issue-bf

**Specification Data:**

81348-mm-l-751 government specification

**Specification Or Standard:**

lii table

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A173a0