NSN 5510-00-290-2102

Wood Pile - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5510-00-290-2102
Treatment Type:
Preservative, tt-w-571
Maximum Grain Slope:
Any acceptable
Preservative Solution Type:
Coal-tar creosote or creosote coal-tar solution or creosote petroleum solution or pentachlorophenol in heavy petroleum solvent or
ammoniacal copper arsenite or chromated copper arsenate, type i, ii or iii
Species-grade And Grading Association:
Douglas-fir, coastal ungraded unrecognized or hemlock, western ungraded unrecognized or pine, lodgepole ungraded unrecognized or
pine, southern ungraded unrecognized or pine, ponderosa ungraded unrecognized or pine, jack ungraded unrecognized or pine, norway
ungraded unrecognized
Measuring Method And Length:
75.000 feet specified
Surface Condition Degree:
Clean peeled full length
Typical Wood Products Use:
Piles for cofferdams, false-work and other temporary construction preservative treated for land or fresh water use
Minimum Circumference And Location:
33.000 inches top and 19.000 inches butt
Service Usage:
Contact w/ground or in fresh water
Supplementary Features:
Tt-w-571, table 2, min circumferences iaw ansi/astm d-25 table 2, unit of issue-ea
Specification Data:
81348-mm-p-371 government specification
Specification Or Standard:
2 type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A173a0