

View Online at <https://aerobasegroup.com/nsn/5510-00-551-5184>

Species-grade And Grading Association:

Basswood selects national hardwood lumber association or fir, balsam c and better select northern hardwood and pine manufacturers association or fir, balsam c select northeastern lumber manufacturers association or pine, eastern white c and better select northern hardwood and pine manufacturers association or pine, eastern white c select northeastern lumber manufacturers association or pine, idaho white choice western wood products association or pine, ponderosa c and better select western wood products association or pine, ponderosa superior finish western wood products association or pine, sugar c and better select western wood products association or pine, sugar superior finish western wood products association or spruce, eastern c and better select northern hardwood and pine manufacturers association or spruce, eastern c select northeastern lumber manufacturers association or spruce, engelmann c select western wood products association or spruce, engelmann superior finish western wood products association or spruce, sitka b and better finish west coast lumber inspection bureau

Moisture Content Retention Percentage:

15.0

Random Length:

8 ft and longer, with a maximum of 5 pct to be 8 ft and a min of 50 pct to be 12 ft and longer

Width-location And Measuring Method:

10.000 inches specified

Measuring Method And Length:

8.000 feet random

Surface Condition Degree:

Surfaced four sides

Thickness-location And Measuring Method:

0.375 inches specified

Typical Wood Products Use:

Templates and patterns

Supplementary Features:

Unit of issue-bf

Specification Data:

81348-mm-l-751 government specification and 81348-mm-l-736 government specification

Specification Or Standard:

1 table or 1 type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A173a0