

View Online at <https://aerobasegroup.com/nsn/5510-00-551-9872>

**Treatment Type:**

Preservative, tt-w-571

**Preservative Solution Type:**

Acid copper chromate or ammoniacal copper arsenite or chromated copper arsenate, type i, ii or iii or pentachlorophenol in light petroleum solvent or pentachlorophenol in volatile solvent

**Species-grade And Grading Association:**

Any acceptable no. 1 northeastern lumber manufacturers association or any acceptable construction northeastern lumber manufacturers association or any acceptable no. 1 northern hardwood and pine manufacturers association or any acceptable construction northern hardwood and pine manufacturers association or any acceptable no. 1 west coast lumber inspection bureau or any acceptable construction west coast lumber inspection bureau or any acceptable no. 1 western wood products association or any acceptable construction western wood products association or pine, southern no. 1 southern pine inspection bureau or pine, southern construction southern pine inspection bureau or redwood no. 1 redwood inspection service or redwood construction redwood inspection service

**Moisture Content Retention Percentage:**

19.0

**Random Length:**

6 ft and longer with a maximum of 10 pct to be 6-9 ft and a min of 40 pct to be 14 ft and longer

**Width-location And Measuring Method:**

4.000 inches specified

**Measuring Method And Length:**

6.000 feet random

**Surface Condition Degree:**

Surfaced four sides

**Thickness-location And Measuring Method:**

2.000 inches specified

**Typical Wood Products Use:**

Preservative treated high quality construction for above ground use for cleanliness and paintability

**Service Usage:**

Lumber and for use above ground

**Supplementary Features:**

See table i, tt-w-571 for acceptable species, unit of issue bf

**Specification Data:**

81348-mm-l-751 government specification

**Specification Or Standard:**

3 table

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A173a0