

View Online at <https://aerobasegroup.com/nsn/5510-00-554-7760>

Treatment Type:

Preservative, tt-w-571

Preservative Solution Type:

Acid copper chromate or ammoniacal copper arsenite or chromated copper arsenate, type i, ii or iii or pentachlorophenol in light petroleum solvent or pentachlorophenol in volatile solvent

Species-grade And Grading Association:

Douglas-fir, coastal no. 2 west coast lumber inspection bureau or douglas-fir, coastal no. 2 western wood products association or douglas-fir, coastal standard west coast lumber inspection bureau or douglas-fir, coastal standard western wood products association or douglas-fir, south, interior no. 2 west coast lumber inspection bureau or douglas-fir, south, interior no. 2 western wood products association or douglas-fir, south, interior standard west coast lumber inspection bureau or douglas-fir, south, interior standard western wood products association or hemlock, western no. 2 west coast lumber inspection bureau or hemlock, western no. 2 western wood products association or hemlock, western standard west coast lumber inspection bureau or hemlock, western standard western wood products association or larch no. 2 western wood products association or larch standard western wood products association or pine, eastern white no. 2 northeastern lumber manufacturers association or pine, eastern white no. 2 northern hardwood and pine manufacturers association or pine, eastern white standard northeastern lumber manufacturers association or pine, eastern white standard northern hardwood and pine manufacturers association or pine, idaho white no. 2 western wood products association or pine, idaho white standard western wood products association or pine, jack no. 2 northeastern lumber manufacturers association or pine, jack no. 2 northern hardwood and pine manufacturers association or pine, jack standard northeastern lumber manufacturers association or pine, jack standard western wood products association or pine, lodgepole no. 2 western wood products association or pine, lodgepole standard western wood products association or pine, ponderosa no. 2 western wood products association or pine, ponderosa standard western wood products association or pine, norway no. 2 northeastern lumber manufacturers association or pine, norway no. 2 northern hardwood and pine manufacturers association or pine, norway standard northeastern lumber manufacturers association or pine, norway standard northern hardwood and pine manufacturers association or pine, southern no. 2 southern pine inspection bureau or pine, southern standard southern pine inspection bureau or pine, sugar no. 2 western wood products association or pine, sugar standard western wood products association or redwood no. 2 redwood inspection service or redwood standard redwood inspection service

Random Length:

8 feet and longer, permitting 5 pct 8 feet and requiring 40 pct 16 feet and longer

Width-location And Measuring Method:

4.000 inches specified

Measuring Method And Length:

8.000 feet random

Surface Condition Degree:

Surfaced four sides

Thickness-location And Measuring Method:

4.000 inches specified

Typical Wood Products Use:

Preservative treated framing for heavy construction for above ground use for cleanliness and paintability

Service Usage:

Lumber and for use above ground

Supplementary Features:

Unit of issue-bf

Specification Data:

81348-mm-l-751 government specification

Specification Or Standard:

lii table