

View Online at <https://aerobasegroup.com/nsn/5510-00-558-0419>

**Treatment Type:**

Preservative, tt-w-571

**Preservative Solution Type:**

Acid copper chromate or ammoniacal copper arsenite or chromated copper arsenate, type i, ii or iii or coal-tar creosote or creosote coal-tar solution or creosote petroleum solution or pentachlorophenol in heavy petroleum solvent or pentachlorophenol in light petroleum solvent or pentachlorophenol in volatile solvent

**Species-grade And Grading Association:**

Any acceptable no. 1 northeastern lumber manufacturers association or any acceptable no. 1 northern hardwood and pine manufacturers association or any acceptable no. 1 west coast lumber inspection bureau or any acceptable no. 1 western wood products association or pine, southern no. 1 southern pine inspection bureau or redwood no. 1 redwood inspection service

**Moisture Content Retention Percentage:**

19.0

**Random Length:**

6 ft and longer with a maximum of 10 pct to be 6-9 ft and a min of 40 pct to be 14 ft and longer

**Width-location And Measuring Method:**

10.000 inches specified

**Measuring Method And Length:**

6.000 feet random

**Surface Condition Degree:**

Surfaced four sides

**Thickness-location And Measuring Method:**

2.000 inches specified

**Typical Wood Products Use:**

Preservative treated high quality construction for use in fresh water or ground contact

**Service Usage:**

Lumber and in fresh water and contact w/ground and important structural members in contact with ground or fresh water

**Supplementary Features:**

See table 1, tt-w-571 for acceptance species, unit of issue-bf

**Specification Data:**

81348-mm-l-751 government specification

**Specification Or Standard:**

3 table

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A173a0