NSN 5640-00-237-4801

Thermal Insulation Sleeving - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5640-00-237-4801

Layer Quantity: 1 Fabrication Method: Expanded Material Density: Between 4.5 pounds per cubic foot and 8.5 pounds per cubic foot Flammability Rating: Not rated Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length: 72.000 inches
Expanded Material Density: Between 4.5 pounds per cubic foot and 8.5 pounds per cubic foot Flammability Rating: Not rated Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length:
Material Density: Between 4.5 pounds per cubic foot and 8.5 pounds per cubic foot Flammability Rating: Not rated Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length:
Between 4.5 pounds per cubic foot and 8.5 pounds per cubic foot Flammability Rating: Not rated Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length:
Flammability Rating: Not rated Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length:
Not rated Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length:
Insulation Thickness: 0.500 inches Inside Diameter: 1.875 inches Length:
0.500 inches Inside Diameter: 1.875 inches Length:
Inside Diameter: 1.875 inches Length:
1.875 inches Length:
Length:
_
72.000 inches
Design Form:
Full round
Tempurature Rating:
Between -20.0 degrees fahrenheit and 180.0 degrees fahrenheit
Flexibility:
Flexible
Material:
Plastic, foam, elastomeric
Material:
Plastic
Specification Or Standard:
T form
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A016a0
A010a0
Mil-std (military Standard):