NSN 5820-00-226-3039



Radio Transmitter Modulator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5820-00-226-3039 **Overall Length:** 22.000 inches **Overall Height:** 8.750 inches **Overall Width:** 19.000 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Hermetically sealed **Operating Control Method:** Manual Installation Design: Rack **Control Type:** Local **Circuit Construction Type:** Electron tube Frequency Per Channel: 30.0 kilohertz operating channel **Attenuation In Decibels: Average Power Rating Per Channel:** 250.0 milliwatts output **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** Not rated Impedance Rating Per Channel:

600.000 ohms 2nd input channel **Maximum Continuous Operating Time In Hours:**

Not rated

NSN 5820-00-226-3039

Radio Transmitter Modulator - Page 2 of 2



Connection Type And Location:
Receptacle, power rear
Operating Ac Frequency In Hertz:
60.0 single voltage
External Dc Operating Voltage In Volts:
50.0 1st voltage
External Ac Operating Voltage In Volts:
6.3 single voltage
Phase:
Single
Fsc Application Data:
Except navigation, nonairborne
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A32200