

View Online at <https://aerobasegroup.com/nsn/5820-01-268-8556>

**Ac Voltage Rating:**

120.0 volts

**Frequency Rating:**

60.0 hertz

**Maximum Power Dissipation Rating:**

72.0 watts

**Electrical Power Source Relationship:**

Operating

**Emission Type:**

F5 receiving

**Phase:**

Single

**Functional Description:**

Used to monitor vcr tape after flight testing-ground use only

**Reference Data And Literature:**

Panasonic/ct-series/tr-series/tu-1012t

**Supplementary Features:**

13 in. Screen; speaker 4 in. Round; input selector-line a/b, vtr; audio input level vtr 0.5 vrms; audio output level vtr 0.5 vrms; picture tube-compufocus; line in-bnc/rc (a, b); line out-bnc/rca(a, b); vtr in/out-8 pin; 3-source inputs w/red led indication; new resolution of 420 lines, plus y/c connector and therefore accommodates s-vhs format vrc's; pkg o/a dim. 15.813 in l x 14.438 in w x 14.438 in h (type: shipping container); gross wt 27.875 pallet pounds

**Type/model Designation:**

Ct-1320m

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T198-b