

View Online at <https://aerobasegroup.com/nsn/5826-01-098-2940>

**End Application:**

5826-01-015-0839

**Criticality Code Justification:**

Text

**General Description:**

Al, 6061 tem t6, per qq-a-250/11, or al, 2024 tem t4, per qq-a-225/6; chem film type ii, grade c, class 3 per mil-c-5541 (580-0036-000); 1.245 in. Min, 1.255 in. Maximum lg; 0.952 in. W; 0.1855 in. Min, 0.1895 in. Maximum thk; two holes, one with diameter 0.1885 in. Min, 0.1892 in. Maximum diameter 0.408 in. Min, 0.412 in. Maximum from left end along lg, other hole with 0.1251 in. Min, 0.1259 in. Maximum dia, 0.639 in. Min, 0.641 in. Maximum between, both 0.425 in. Min, 0.433 in. Maximum from bottom edge; four no. 4-40 unc-2b x 0.28 min full thd holes, two each in opposite ends along w 0.731 in. Min, 0.735 in. Maximum apart; one 0.086-56 unc-2b x 0.40 min full thd hole, csk 82 degrees porm 2 degrees to 0.145 in. Diameter in top edge

**Fsc Application Data:**

Control, receiver-transmitter

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No