## NSN 5840-00-269-5513

Radar Modulator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5840-00-269-5513
Overall Length:
9.470 inches
Overall Height:
1.375 inches
Overall Width:
6.062 inches
Environmental Protection:
Fungus proof
Operating Tempurature Range:
-0.0/+50.0 degrees celsius
Basic Shape Style:
Rectangular or square
Identification Designator:
35c2-3rm-13499
Maximum Operating Altitude Rating:
15000.0 feet
Inclosure Type:
Hermetically sealed
Operating Control Method:
Manual
Installation Design:
Module
Control Type:
Local
Circuit Construction Type:
Solid state
Impedance Rating Per Channel:
820.000 ohms 3rd input channel err-100
Pulse Duration Per Channel:
200.000 microseconds output channel err-100
Pulse Rise Time Per Channel:
0.200 microseconds 3rd input channel
Pulse Decay Time Per Channel:
0.400 microseconds 3rd input channel
Pulse Repetition Rate Per Channel:
1000.000 pulses per second 3rd input channel err-100

### Pulse Peak Amplitude Per Channel:

50.000 volts 3rd input channel err-100

**Output Wave Shape:** 

Pulse, trigger

#### **Connection Type And Location:**

Receptacle, coaxial rear and printed circuit rear

# NSN 5840-00-269-5513

Radar Modulator - Page 2 of 2



#### **Connection Contact Type And Quantity:**

5 receptacle, coaxial external and 22 printed circuit external

### **External Dc Operating Voltage In Volts:**

21.0 single voltage err-100

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200