NSN 5895-00-067-8012

Electronic Gate - Page 1 of 2



Electronic Gate 1 age 1 of 2
View Online at https://aerobasegroup.com/nsn/5895-00-067-8012
Overall Length:
8.125 inches
Overall Height:
3.000 inches
Overall Width:
1.484 inches
Environmental Protection:
General purpose
Vibration Resistance Range In Hertz:
+10.0/+55.0
Vibration Resistance Amplitude:
0.015 inches total excursion
Shock Resistance Rating In Gravitational Units:
15.0
Operating Tempurature Range:
-40.0/+155.0 degrees fahrenheit
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
If gate 10548649-19200
Maximum Operating Altitude Rating:
10000.0 feet
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Mechanical
Control Type:
Local
Circuit Construction Type:
Solid state
Switching Rate Per Second:

20000

Frequency Per Channel:

60.0 megahertz operating channel

Pulse Duration Per Channel:

50.000 microseconds operating channel

Pulse Rise Time Per Channel:

0.400 microseconds operating channel

NSN 5895-00-067-8012

Electronic Gate - Page 2 of 2

Fiig: A32200



Polarity Per Channel:
Positive operating channel
Pulse Repetition Rate Per Channel:
20.000 kilopulses per second operating channel
Signal Data Type Per Channel:
Operating channel pulse
Output Wave Shape:
Pulse, gate
Shock Pulse Duration Time:
11.0 milliseconds
Connection Type And Location:
Receptacle, coaxial right side and receptacle, coaxial left side and receptacle, power right side
Connection Contact Type And Quantity:
4 receptacle, coaxial external and 1 receptacle, power external
External Dc Operating Voltage In Volts:
15.0 single voltage
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli