Frequency Shift Converter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-00-129-6591

Overall Length:
16.875 inches
Overall Height:
1.688 inches
Overall Width:
6.688 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
Not rated
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
37264505pt16-01534
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Open
Operating Control Method:
Manual
Installation Design:
Installation Design: Drawer
_
Drawer
Drawer Control Type:
Drawer Control Type: Local
Drawer Control Type: Local Circuit Construction Type:
Drawer Control Type: Local Circuit Construction Type: Solid state
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel:
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels:
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated Average Power Rating Per Channel:
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel: Not rated
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel: Not rated
Drawer Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 2.975 kilohertz operating channel Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel: Not rated Overall Gain: Not rated

NSN 5895-00-129-6591

Frequency Shift Converter - Page 2 of 2



Pulse Peak Amplitude Per Channel: Not rated Maximum Continuous Operating Time In Hours: Not rated **Connection Type And Location:** Printed circuit front **Operating Ac Frequency In Hertz:** 60.0 1st voltage **Connection Contact Type And Quantity:** 38 printed circuit external **External Ac Operating Voltage In Volts:** 230.0 2nd voltage Phase: Single Shelf Life: N/a Unit Of Measure: ---Demilitarization: Yes - demil/mli Fiig: A32200